


# ACCUGLIDE

SAWS  
PRECISION CUTS EVERY TIME



© 2017 AccuGlide Saws All Rights Reserved

**3000PRO™ Stone Saw**  
**And Attachments**



# ACCUGLIDE 3000PRO™ STONE SAW



## Precision Cuts Every Time

For complete control over fabrication time, quality and cost.

- Quickest set-up time for high daily output
- Eliminate missed cuts
- Glass smooth seam cuts - ready to install
- Reduce polishing time 30-40% on straight edges

 **Watch How-To Videos at**  
[AccuGlideSaws.com](http://AccuGlideSaws.com)

- ProCircle & PRO Saw demos
- ProFence & profile blades demo
- Edge cutting on the outside Track
- Quick-Lock Tracks & suction cups



### 3000PRO™ Options

3000PRO™ Options	Item #
AccuGlide 3000PRO™ Package with 12.5' (3.8 m) Tracks	APR12BG
<b>ProCircle™ Attachment</b> - for circles in 2-3 cm stone from 17-82" diameter (43-208 cm) up to 144" diameter (3.6 m)	PROCC
<b>ProFence™ Attachment</b> - for profiling all stone; depth duplication gauge and full depth control included	PROFA
<b>ProLight™ Attachment</b> - for free-form cutting	PROLGH
QT™ Profile Blade - 5/8" E Bevel, pos 1	BEVPOS1
QT™ Profile Blade - 5/8" E Bevel, pos 2	BEVPOS2
QT™ Profile Blade - 3/8" Bullnose, pos 1	BULPOS1
QT™ Profile Blade - 3/8" Bullnose, pos 2	BULPOS2
MiterMaster™ Attachment	MM04

### Hearst Castle Visitor's Center San Simeon, California

*"This project was a large three slab table with four 12' outside radii and four 9' inside radii... We cut it with the AccuGlide and circle cut accessory without templates and it literally was perfect! It was easy to set up and it's accurate. We were ecstatic with the job it did."*


J.B., CA







## Unmatched Versatility for the Modern Stone Craftsman

Leverage your equipment investment with these labor saving PRO Attachments. *Example:* Cut and profile a 36" diameter in less than 20 minutes! Compare this to the two to three hours spent doing the same operation by hand. The labor savings are huge, and after all your time is money!



**ProCircle™ Attachment:**  
Circle cuts from 17-144"  
Item: PROCC

**MiterMaster™ Attachment:**  
Miter cuts up to 133"  
Item: MM04




**ProFence™ Attachment:**  
3/8" bullnose & 5/8" bevel profiles  
Item: PROFA

**ProLight™ Attachment:**  
Free-hand cuts made easy  
Item: PROLGHT




## Designed By A Fabricator, For Fabricators


No one is more familiar with the harsh environment created by natural stone cutting, than a stone fabricator. Each and every part of the AccuGlide was extensively tested before introduction to the stone industry twenty years ago. Thousands of AccuGlide Saws are now in operation, cutting millions of feet of stone in shops all over the world. AccuGlide engineering is proven - that's why we offer a two year warranty on our tracking system. The AccuGlide is continually refined based on customer feedback and our commitment to innovation. Low cost **Self Service Parts** are built into key wear points for easy replacement - ensuring your machine stays tuned up at all times. These parts are made to replace every 18-36 months, or as needed.



- A.** Heavy stainless steel dual stabilization brackets
- B.** Step Gauge
- C.** Maximum Depth Gauge\*



\*These features are not standard on the AccuGlide Classic model.



Tested and modified worm drive motor for extended life.



Four water tips for equal flow to both sides of the blade. No adjustment needed.



20' heavy gauge electrical cord with 20 amp GFCI.



Highest quality brass quick-connect polyurethane hose with ball shut-off valve.

## It's as easy as 1, 2, 3 . . . Seconds to set up!



**1. Wet Slab**



**2. Place Tracks on cut line**



**3. Cut**



# MODEL COMPARISON CHART

CUTTING OPTIONS	3000PRO™	3000QT™	CLASSIC
Precision straight cuts & chip-free seam cuts	✓	✓	✓
Edge cuts - Easy 1/4" trimming	✓	✓	✓
Miter, quirk miter & bevel cuts (MiterMaster™ compatible)	✓	✓	✓
Circle cuts & edge shaping (ProCircle™ & Profile Blade compatible)	✓		
Straight edge stock removal & edge shaping (ProFence™ compatible)	✓		
Cut curves without Tracks	✓		
Edge-cut with single Track	✓		
Stack up to 4 blades to 5/8" (16 mm) wide - Dado cuts, channels & grooves	✓	✓	

CUT SPECIFICATIONS	3000PRO™	3000QT™	CLASSIC
Maximum depth - Straight cuts, with 9" (230 mm) blade	2.2" (5.5 cm)	2.5" (6.3 cm)	n/a
Maximum depth - Straight cuts, with 8" (200 mm) blade	1.9" (4.8 cm)	2.2" (5.5 cm)	2.2" (5.5 cm)
Maximum depth - Miter cuts, with 8" (200 mm) blade	3 cm stone	3 cm stone	3 cm stone
Maximum depth - Circle cuts, with 7" (180 mm) blade	2" (5 cm)	n/a	n/a
Cutting speed per minute	4-10' (1.2-3 m)	4-10' (1.2-3 m)	4-10' (1.2-3 m)
Maximum cut length with standard 12.5' (3.8 m) Tracks	133" (3.3 m)	133" (3.3 m)	133" (3.3 m)

BLADE & HUB/ARBOR OPTIONS	3000PRO™	3000QT™	CLASSIC
Quiet & True™ Hub - Silencer & stabilizer	✓	✓	optional
5/8" Diamond knockout hub compatible (included)	✓	✓	✓
6, 7 & 8" (150 - 200 mm) Blade capacity	✓	✓	✓
9" (230 mm) Blade capacity	✓	✓	n/a

INTEGRATED FEATURES	3000PRO™	3000QT™	CLASSIC
Calibration Indicators - Calibrates blade to cut line for 15 second set-up	✓	✓	✓
Integrated Eyelets - Push or pull saw through center of slab	✓	✓	✓
Quick-connect wash hose	25' (7.6 m)	25' (7.6 m)	15' (7.6 m)
Clean & precise water delivery loop & shut-off system	✓	✓	✓
Step Gauge & height lock adjustment	✓	✓	✓
Depth Gauge	✓	✓	✓
Electrical cord & 20 amp GFCI	20' (6 m)	20' (6 m)	13' (4 m)

CONSTRUCTION SPECIFICATIONS & WARRANTY	3000PRO™	3000QT™	CLASSIC
Amperage & voltage	120v/15 amp	120v/15 amp	120v/15 amp
Saw weight	29 lbs (13 kg)	27 lbs (12 kg)	26 lbs (11 kg)
Horsepower	3.1 equiv	3.1 equiv	3.1 equiv
RPM - No load	5300	5300	5300
Pre-tested & modified worm drive motor	✓	✓	✓
Precision carriage & tracking system	✓	✓	✓
Stainless steel & brass tracking system components	✓	✓	✓
Heavy gauge stainless steel Tracks	✓	✓	✓
Highest quality wear-resistant bearings	✓	✓	✓
Made in the USA	✓	✓	✓
Motor warranty	120 days	120 days	120 days
Manufacturer warranty on Tracks & saw tracking system	2 years	2 years	2 years

# SAW TRACKS



## AccuGlide Tracks

Our tracks are designed to set up and handle with as little effort as possible. A variety of options are available for individual fabrication requirements.


Tracks are constructed of heavy gauge polished stainless steel with laser-cut stainless attachments. Our tracks have twice the wall thickness as any other rail saw available. This allows the AccuGlide to hold a level of precision and durability that is thoroughly unmatched. We pay special attention to precision straightening, high quality adhesives and strict manufacturing quality control.

Positioning Tracks to your cut line takes just seconds with our patented Calibration Indicators. Watch the short video at [AccuGlideSaws.com](http://AccuGlideSaws.com).

- A. Heavy gauge stainless steel - Twice as thick as the copycats
- B. Quick-Lock Suction Cups for extra hold-down power on cross cuts\*
- C. EZ-Cut Track™ with convenient 90 degree fence and suction cups
- D. Tracks under-surfaced with durable wear-resistant rubber




**Standard Tracks** are attached at ends with laser-cut stainless hardware. No clamping required.



**Quick-Lock Tracks** include an integrated aluminum clamping rail: C-Clamp or Suction Cup ready.



**Solid-Connect Tracks** include a 7.5' & 5' length with solid bolt-up. EZ-Cut™ & Quick-Lock features optional.



**5' EZ-Cut™** includes an adjustable 90° fence & suction cups.

Description	Item #
12.5' Standard Tracks	T12500G
7.5' Standard Tracks	TR50105G
7.5' Quick-Lock Tracks	TR75
6.5' Quick-Lock Tracks	TR65
5' Standard Tracks	TR50147G


Description	Item #
5' Quick-Lock Tracks	TR50
5'+7.5' Solid-Connect Tracks, options available	TR031
5' EZ-Cut™ Track	TRET5
Set 4.5" Quick-Lock Suction Cups, reversible *	TRSC2
Interlocking Tracks, for floor & concrete	Call

\* AccuGlide Quick-Lock Suction Cups or regular C-Clamps are recommended for working on undersized tables, very small pieces of stone, warped material, and whenever Tracks cannot be sufficiently balanced on the work piece or shimmed for sufficient support.

Specifications	12.5' length	7.5' length	6.5' length	5' length	5' EZ-Cut™
Maximum cut length	133" (330 cm)	73" (185 cm)	61" (155 cm)	42" (106 cm)	36" (91 cm)
Quick-Lock option available		✓	✓	✓	n/a
Quick-Lock Suction Cup compatible	✓	✓	✓	✓	n/a
Built-in suction cups					✓
Thick-wall (.120 gauge) stainless steel	✓	✓	✓	✓	
Clamping required	no	no	no	no	no
<b>Compare to Find Your Ideal Combination</b>					
Customer-preferred combo for full slab fabrication	✓	✓			
MiterMaster™ friendly	✓	✓	✓		
Prefabricated counter top friendly		✓	✓	✓	✓
Travel friendly		✓	✓	✓	✓
Use Calibration Indicators to set up in seconds	✓	✓	✓	✓	✓




# MITERMASTER ATTACHMENT



1. Clamp MiterMaster™ fixtures to the stone, leave slightly loose.



2. Place the Track on the fixtures.



3. Calibrate Tracks to blade cut line with Calibration Indicators.



4. Tighten fixtures and cut!

## Specialize in Miter Cutting

Miter cutting is now more popular than ever. If this is a bottleneck in your shop, add the MiterMaster Attachment and VersaTable to create a Miter Cutting Workstation. It's a truly effective solution for shops that are cutting miters daily. The quality of miter cuts that you'll achieve are unmatched in the industry. Go to our website and watch the video to see more.

## Superior Design Patented in 2004

The unique rigid design of the AccuGlide and MiterMaster™ virtually eliminates vibration and deflection, for fast and precise results.

- Triangular dual stabilization system - patented
- Dual rail design - patented
- QT™ blade silencer and stabilizer - patented
- Easy blade to cut-line calibration - patented
- Fully adjustable cutting system for variable stone thickness and miter depth duplication - patented


## Durable Construction

Laser cut stainless steel, CNC machined anodized aluminum, and stainless steel hardware.

## QuickClamp™ Kit



*Cut or clip a miter or bevel in 2 or 3 cm stone, 1/4" to 2-1/4"*



## VersaTable™

This industrial work table is custom tailored for using with the MiterMaster™ system. Also ideal for sink cutting and polishing. Quickly disassembles for easy transport to job sites.



The unique slatted design supports stone workpieces of various sizes. It's perfect for a miter-cutting workstation. Top Dimensions: 36" x 99"

## Specifications

Maximum material miter depth with 9" blade	4 cm
Maximum material miter depth with 8" blade	3 cm
Maximum material miter depth with 7" blade	2 cm
Maximum cut length, 12.5' Tracks	133" (330 cm)

## MiterMaster™ Options

MiterMaster™ Options	Item #
MiterMaster™, VersaTable™ & QuickClamp™	MMVTQCS
MiterMaster™ Attachment	MM04
VersaTable™, 36"x99" (90x250 cm) 155 lbs	VT100
QuickClamp™ Kit	MMQCS




# QT™ HUB & BLADES

## Enjoy 40% Noise Reduction With Chip-Free Cuts!


Our patented Quiet & True™ blade silencer and stabilizer hub eliminates blade flex and deflection, for super clean cuts and longer blade life. Best of all, the QT™ HandChange Hub™ diminishes noise by 40%. Cut the “scream” from your shop or job site!



All AccuGlide models also come with a standard 5/8" diamond knockout hub for standard blades.




**8" QT™ ZOOM Blade**  
Fastest & cleanest cutting. Great for the hardest granites. Our most popular blade.  
(Dia. 8"/200 mm) # BQTTZ8



**8" QT™ Pearl® PX Blade**  
Aggressive, best in medium to soft granite. One of our most popular turbo blades.  
(Dia. 8"/200 mm) # BQTPX8



**8" QT™ AccuGlide Continuous Rim Blade** - Clean cutting, for seam cuts in granite, engineered stone & marble.  
(Dia. 8"/200 mm) # BQTCR8



**8" QT™ AGX Segmented Blade**  
Our most aggressive blade for increased speed in all stone types.  
(Dia. 8"/200 mm) # BQTAGX8



**8" QT™ Pearl® Electroplated Marble Cutting Blade**  
Best for cutting marble.  
(Dia. 8"/200 mm) # BQTP8E



**8" QT™ KaramiCut Blade**  
Best for cutting Dekton.  
(Dia. 8"/200 mm) # BQT7P5S



**7" QT™ NANO Blade**  
Best for cutting Neolith™.  
(Dia. 7"/178 mm) # BQTNA7



**6" QT™ AGX Rodding Blade**  
Use 1 or stack up to 4 wide with the QT™ HandChange Hub™ for rodding channels.  
(Dia. 6"/152 mm) # BQTR6



## Starting, Expanding, or Diversifying

We are here to walk you through this important process; whether it's fabrication how-to's, or what our equipment can do for your business. Even if this education process ends in the conclusion that our equipment is not the best fit for your individual business model and goals, we are still happy to point you in the right direction. AccuGlide "customers for life" benefit from our over 143 years combined experience in every aspect of the stone industry. We are here for you!



### "I Purchased the AccuGlide Because..."

...of the sturdy design, high quality fit and finish, and on my assessment that it just felt better in my hands than the competition. I am writing this letter to say that your product **PERFORMS AS ADVERTISED!** In fact, based upon claims being made by other track/rail saws being marketed with extreme hype and fantastic claims about cutting speed; I think you are too modest in your advertising. Your saw and miter system does everything you claim, and in the fashion you say it can be done."

"I must also say something about your staff. They are very personable, professional, and knowledgeable. It is always a pleasant experience to just order some blades or call with a fabrication question."

E.K., CA

## Why Buy AccuGlide?

- **Profit with cost effective fabrication** – Get the finest equipment without over-spending. Commit to low overhead AND a lightning fast return on your tool investment.
- **Never compromise** – Protect your good name by maximizing the quality of your fabrication and installations. Your business will flourish with referrals from happy customers!
- **Speed** – Achieve speed and efficiency that previously eluded you. Increase profits and avoid headaches and sleepless nights.
- **Safety** – Built with attention to safety for a secure and accident free work environment. Protect your employees and your company's future by avoiding Workers Compensation Claims.
- **Durability** – Absolutely unparalleled quality construction for DAILY long term use. Inexpensive replaceable parts allow you to tune up your AccuGlide equipment in minutes – no down time!
- **Easy to set up and easy to use** – Set-up and train in hours, rather than days. Fast cut set-up keeps your focus on cutting for high daily output.



*Let us help you reach your goals - with AccuGlide equipment at the heart of your shop!*



## From Our Family to Yours

We got our start in 1975 as a custom tile contractor, servicing the Central Coast of California. The first AccuGlide Saw was developed by Mike Harris for his own use in the late 1980's, as he transitioned into stone fabrication. Mike and Grace Harris founded AccuGlide Saws in 1996 and released the first production model saw to the public, which became an instant hit nationwide. Over the next several years, they were joined by two of their sons, Andrew and Ben, and daughters Beth and Gracie.

As we move into our twenty-first year here at AccuGlide, with second generation owners Ben and Beth now at the helm, we're continually focused on building the highest quality equipment while nurturing lasting relationships with our customers.

If you're shopping AccuGlide, then we know that when it comes to tools, you'll never compromise! Every AccuGlide Saw is hand assembled with pride here at our California factory. We will always back our equipment with the customer service you would expect from a family owned and operated company.

With Kind Regards,

*the Harris Family*



### Factory Direct

We also sell direct so you can benefit from the lowest prices possible. We provide customer support and service for all AccuGlides purchased through distributors in the United States since 1996 and to purchasers of used AccuGlides. Our knowledgeable service staff is dedicated to following through with what you need in a timely manner. We ship by air, ground and common carrier daily.

## Financing Options

Financing options are available for the United States and Canada. These include some excellent short term programs for customers in the United States. Please inquire for more information, or visit our interactive finance information request system at [AccuGlideSaws.com/financing](http://AccuGlideSaws.com/financing).

## Check Out [AccuGlideSaws.com](http://AccuGlideSaws.com)

Our website is aimed to duplicate the level of service we strive to provide on the telephone with a variety of interactive choices at your fingertips.

- Video library for AccuGlide equipment and fabrication processes
- Educational Quick-Guides for start-up fabricators
- Industry resources
- Visual menus for easy browsing
- Expanded equipment and product selection
- Social media interaction
- Interactive contact forms for requesting equipment quotes and financing estimates



### International Shipping

AccuGlide Saws can be found in stone shops around the world! We are happy to ship to select locations outside of the United States and Canada. Special packaging and other fees may apply. Please inquire for more information.



### Warranty

All AccuGlide Saw Models and Tracks include a two year warranty covering defects in materials and workmanship. Worm drive motors are covered under a 120 day limited warranty. Please see our website for further details.





**MARBLE**  
**INSTITUTE**  
*of America*

*Setting the Standards in the  
Natural Stone Industry*

## **AccuGlide Saws**

7343 El Camino Real #319  
Atascadero, CA 93422 USA

Tel 888.742.0358

Intl 805.466.9280

Fax 805.461.1620

[info@accuglidesaws.com](mailto:info@accuglidesaws.com)

[www.AccuGlideSaws.com](http://www.AccuGlideSaws.com)



©2017 AccuGlide Saws, all rights reserved • Patents/Patents Pending